



trail jet 125



... ➔ www.falch.com





trail jet 125



accessories



	trail jet 125 1000-65-0-d	trail jet 125 2500-26-0-d	trail jet 125 3000-22-0-d
	300 - 1000 bar	600 - 2500 bar	600 - 3000 bar
	29 - 65 l/min	10 - 26 l/min	10 - 22 l/min
	129 kW / 125 kW 2300 rpm, 1000 rpm, 4 cyl., 4760 ccm, water	129 kW / 125 kW 2300 rpm, 1000 rpm, 4 cyl., 4760 ccm, water	129 kW / 125 kW 2300 rpm, 1000 rpm, 4 cyl., 4760 ccm, water
	18,5 l/h, diesel	18,5 l/h, diesel	18,5 l/h, diesel
	125 kW / 600 rpm, 2,0 - 8,0 bar, 40° C	125 kW / 600 rpm, 2,0 - 8,0 bar, 40° C	125 kW / 600 rpm, 2,0 - 8,0 bar, 40° C
	090 USgal/min	023 USgal/min	018 USgal/min
	■	■	■
	■	■	■
	24 h	24 h	24 h
	24 month	24 month	24 month
	400 l	400 l	400 l
	210 l	210 l	210 l
	1980 kg, 100 kg	1980 kg, 100 kg	1980 kg, 100 kg
	3730 x 1980 x 2025 mm	3730 x 1980 x 2025 mm	3730 x 1980 x 2025 mm
	LpA = 93, LwA = 115 db	LpA = 93, LwA = 115 db	LpA = 93, LwA = 115 db
	g555	g556	g574

services



W0400258/2015-12

Falch gmbh

siemensstrasse 1 - 7
89188 merklingen (germany)

+49 (0)7337/81-0

+49 (0)7337/81-181

info@falch.com / www.falch.com